GREENSBORO BUILDING INSPECTIONS DEPARTMENT

INSPECTION CHECKLIST: R-4 CHILDCARE IN A HOME: Rev. 06-27-2005

BEFORE SCHEDULING AN INSPECTION:

- □ NCDCD inspection form on hand (3 page, blue, triplicate form)?
- □ Privilege License Application Form in hand?
- □ Zoning Dept signed off on Privilege License Application?
- □ Fire Safety Inspection Report approved?
- □ Receipt for daycare inspection fee in hand?

INSPECTION ITEMS:

- □ Verify items above. If approvals or fees not evident, may verify by phone/verbal.
- □ Building Code Requirements
 - Volume VII safety violations? (exits & hardware, handrails, guardrails, pool enclosures)
 - IBC Requirements: "Group R-4 Childcare in a home"
 - ✓ Capacity 6-16 children of any age (Zoning limits to 15)
 - ✓ Requires 2 [remote] exits, meeting IRC, no dead end corridor over 20 feet. Exception if all childcare rooms are on level of discharge [within 48" of grade] with direct egress from room to outside
 - ✓ Walls and ceilings in daycare area & exit to be of non-combustible materials [or treated to meet IBC Group E smoke & flamespread]
 - ✓ Light & ventilation per IRC Section 1202
 - ✓ 1 2A;10B;C fire extinguisher, 40ft max travel distance to it
 - ✓ Fire Department requires NFPA 72 alarm system; substitutes for residential smoke alarm requirement; elec pmt. & insp. req'd.
- □ Check capacity against zoning limitations
 - 25 sq.ft. floor are per child required by NCDCD
 - In home business not allowed to exceed 25% of habitable space in house
 - Therefor, allow 1 child for each 100 s.f. of habitable space. Round up from .5

DOCUMENTATION

- □ Sign off privilege license form in block, list facility type and capacity on form
- □ Complete form provided by NC Division of Child Development; keep rear copy
- Notify Collections Dept. and Zoning by email. Address to Teresa Edgington,
 Doris Hall, Carolyn Revis, Alton Rowe and Sean Tencer. Copy David Jones, Dan Reynolds and Julius Register.
- □ I recommend keeping records of all electronic correspondence in a folder by address and date, and keep your copy of the DCD form.